UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/872,451	05/31/2001	Robert Lennie	PALM-3667	3020
.,	7590 10/27/200 SOCIATES P.C.	EXAMINER		
9255 SUNSET		SIDDIQI, MOHAMMAD A		
SUITE 810 LOS ANGELES, CA 90069			ART UNIT	PAPER NUMBER
			2454	
			MAIL DATE	DELIVERY MODE
			10/27/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	09/872,451	LENNIE ET AL.
Office Action Summary	Examiner	Art Unit
	MOHAMMAD A. SIDDIQI	2454
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
1) ■ Responsive to communication(s) filed on 12 A 2a) ■ This action is FINAL . 2b) ■ This 3) ■ Since this application is in condition for alloware closed in accordance with the practice under E	s action is non-final. nce except for formal matters, pro	
Disposition of Claims		
4)	wn from consideration. and 33 is/are rejected.	on.
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to by the I drawing(s) be held in abeyance. See tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	es have been received. Es have been received in Applicati Frity documents have been receive Fu (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate

DETAILED ACTION

1. Claims 1-6, 11-19, 21-22, 24-28, 30-31 and 33 are presented for examination. Claims 7, 10, 20, 23, 29, and 32 have been cancelled.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 08/12/2009 has been entered.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2454

4. Claims 1-6, 8-9, 11-19, 21-22, 24-28, 30-31 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Watanabe et al. (6,850,757) (hereinafter Watanabe) in view of Mousseau et al. (US PUB 2002/0120696) (hereinafter Mousseau).

5. As per claims 1 and 27, Watanabe discloses a communication system and method for pushing electronic messages to a wireless portable device (arrival notification message is pushed by notification apparatus, col 2, lines 54-60; col 5, lines 6-31) to advise a user when an electronic message is received and to provide the user with a subset of the electronic message to allow the user to download electronic message of interest for viewing at the wireless portable device (col 2, lines 54-60; col 5, lines 6-31), comprising: a mail server (102, fig 1) having an electronic mail interface configured to be coupled to the internet (104, fig 1, col 2, lines 48-60), for storing an electronic mail message received over the Internet (col 2, lines 37-60) and for generating a copy of said electronic mail message (Fig 1, col 2, lines 24-46);

a notifications server (100, fig 1, col 2, lines 24-36), coupled to said mail server (col 2, lines 24-36), and having a standard electronic mail protocol for automatically receiving said copy of said electronic mail message as a standard formatted electronic mail message (100, fig 1, col 2, lines 24-53);

wherein said mail server (102, fig 1) automatically forwards using standard mail protocols the copies of the received messages to the said notification server (100, fig 1, col 2, lines 27-60);

wherein said notifications server (100, fig 1, col 2, lines 24-60) is for automatically generating (arrival notification mail, col 2, lines 24-60), therefrom, a subset of said received copy of said electronic mail message (col 5, lines 6-31); and

wherein said notifications server (col 2, lines 24-60), upon generation of said subset (subset is interpreted as message, col 5, lines 6-31), is configured to automatically transmit without any user trigger (notification, col 1, lines 5-10; col 2, lines 54-67) said subset (subset is interpreted as message, col 3, lines 33-35) to an identified wireless electronic device (col 5, lines 6-31) associated with a user that is the recipient of said received electronic mail message (cellular phone, col 5, lines 6-39), and wherein the user subsequently is able to select the subset (subset is interpreted as body of the text, col 6, lines 18-33) and thereby download the remainder of the electronic mail message (col 6, lines 17-44).

The "prior art" (or "the system of") of Watanabe teaches notification apparatus (100, fig 1,) generating and notifying arrival of notification mail message to the wireless device (col 2, lines 24-60) and further suggest adding couple of short sentences to the notification message (col 5, lines 22-31). Watanabe does not specifically disclose generating a copy of said electronic mail message, therefrom, a subset of said received copy of said electronic mail message, wherein said mail server automatically forwards using standard mail protocols the copies of the received messages to the said notification server; Wherein a push packet is used by said notification server to transmit said subset to said identified wireless electronic device. However, the Watanabe teaches notification apparatus (100, fig 1,)

Application/Control Number: 09/872,451

Art Unit: 2454

generating and notifying arrival of notification mail message to the wireless device (col 2, lines 24-60) and further suggest adding couple of short sentences to the notification message (col 5, lines 22-31). Mousseau generating a copy of said electronic mail message (page 7, paragraph #0070; page 8, paragraph #0076), therefrom, a subset of said received copy of said electronic mail message (page 7, paragraph #0070; page 8, paragraph #0076; and paragraph #0067); Wherein a push packet is used by said notification server to transmit said subset to said identified wireless electronic device (elements of fig 4, paragraph #.0090, "should be pushed to the user's mobile data communication device 24.") It would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine the teachings of Watanabe and Mousseau. The motivation (prior art of Watanabe at least suggests adding a couple of short sentence so user can determine whether the electronic mail should be read, col 5, lines 22-31, col 6, lines 18-33) would have been developing mail arrival notification system for notifying mobile user device extracted information from the original mail so user of the wireless device can determine whether the electronic mail should be read.

Page 5

6. As per claim 14, the claim is rejected for the same reasons as claim 1, above. In addition, Watanabe discloses a plurality of wireless electronic devices operable to communicate over a wireless communication network (106, fig 1, col 2, lines 24-60).

Art Unit: 2454

7. As per claims 2, 15, and 28, claims are rejected for the same reasons as claim 1, above. In addition, Watanabe discloses said identified wireless electronic device is operable to display received subsets to a user LCD display, (col 5, lines 29-31).

- 8. As per claims 3, and 16, claims are rejected for the same reasons as claim 1, above. In addition, Watanabe discloses said identified wireless electronic device is operable to allow said user to select a particular received subset and wherein said notifications server is also for transmitting the remainder of an electronic mail message corresponding to said particular received subset in response to the selection thereof by said identified wireless electronic device (col 5, lines 45-67; col 6, lines 18-43).
- 9. As per claims 4 and 17, claims are rejected for the same reasons as claim 1, above. In addition Mousseau discloses said subset is a notification message comprising a sender's identification and a subject field of said received electronic mail message (page 8, paragraph #0076).
- 10. As per claims 5 and 18, claims are rejected for the same reasons as claim 1, above. In addition, Watanabe discloses said identified wireless electronic device is a handheld computer system having wirelessly enabled (fig 3, col 3, lines 28-36).
- 11. As per claims 6, 19, and 31, claims are rejected for the same reasons as claim 1, above. In addition, Watanabe discloses wherein said notifications server comprises a

Art Unit: 2454

user information database for providing a mapping between wireless electronic devices and their associated electronic mail addresses (fig 3, col 3,lines 28-36).

- 12. As per claims 8 and 21, claims are rejected for the same reasons as claim 1, above. In addition, Watanabe discloses said subset is wirelessly transmitted using a wireless LAN communication network (elements of fig 1).
- 13. As per claims 9 and 22, claims are rejected for the same reasons as claim 1, above. In addition Mousseau discloses, using a short range wireless communication network (page 22, paragraph #0174).
- 14. As per claims 11, 24, and 33, claims are rejected for the same reasons as claim 1, above. In addition Mousseau discloses said standard electronic mail protocol is substantially compliant with the SMTP protocol (page 9, paragraph #0084).
- 15. As per claims 12 and 25, claims are rejected for the same reasons as claim 1, above. In addition Mousseau discloses POP protocol (page 9, paragraph #0084).
- 16. As per claims 13 and 26, claims are rejected for the same reasons as claim 1, above. In addition Mousseau discloses IMAP protocol (page 9, paragraph #0084).

Art Unit: 2454

18-43).

17. As per claim 30, claims are rejected for the same reasons as claim 1, above. In addition, Watanabe discloses said identified wireless electronic device allowing said user to select a particular received notification message including the subset (col 5, lines 22-67; col 6, lines 18-43); and said notifications server transmitting the remainder of an electronic mail message corresponding to said particular received notification message in response to said user selecting said particular received notification message (col 5, lines 45-67; col 6, lines

Response to Arguments

- 18. Applicant's arguments filed 08/12/2009 have been fully considered but they are not persuasive, therefore a rejection to claims 1-6, 8-9, 11-19, 21-22, 24-28, 30-31 and 33 is maintained.
- 19. In response to applicant's argument that Prior art "TEACHES AWAY",
 A reference is no less anticipatory if, after disclosing the invention, the reference then
 disparages it. The question whether a reference "teaches away" from the invention is
 inapplicable to an anticipation analysis. Celeritas Technologies Ltd. v. Rockwell

Page 9

Art Unit: 2454

International Corp., 150 F.3d 1354, 1361, 47 USPQ2d 1516, 1522-23 (Fed. Cir. 1998) (The prior art was held to anticipate the claims even though it taught away from the claimed invention. "The fact that a modem with a single carrier data signal is shown to be less than optimal does not vitiate the fact that it is disclosed."). >See Upsher-Smith Labs. v. Pamlab, LLC, 412 F.3d 1319, 1323, 75 USPQ2d 1213, 1215 (Fed. Cir. 2005) (claimed composition that expressly excluded an ingredient held anticipated by reference composition that optionally included that same ingredient); < see also Atlas Powder Co. v. IRECO, Inc., 190 F.3d 1342, 1349, 51 USPQ2d 1943, 1948 (Fed. Cir. 1999) (Claimed composition was anticipated by prior art reference that inherently met claim limitation of "sufficient aeration" even though reference taught away from air entrapment or purposeful aeration.). Watanabe discloses a communication system and method for pushing electronic messages to a wireless portable device (arrival notification message is pushed by notification apparatus, col 2, lines 54-60; col 5, lines 6-31) to advise a user when an electronic message is received and to provide the user with a subset of the electronic message to allow the user to download electronic message of interest for viewing at the wireless portable device (col 2, lines 54-60; col 5, lines 6-31), comprising: a mail server (102, fig 1) having an electronic mail interface configured to be coupled to the internet (104, fig 1, col 2, lines 48-60), for storing an electronic mail message received over the Internet (col 2, lines 37-60) and for generating a copy of said electronic mail message (Fig 1, col 2, lines 24-46); a notifications server (100, fig 1, col 2, lines 24-36), coupled to said mail server (col 2, lines 24-36), and having a standard electronic mail protocol for automatically receiving

Art Unit: 2454

said copy of said electronic mail message as a standard formatted electronic mail message (100, fig 1, col 2, lines 24-53); wherein said mail server (102, fig 1) automatically forwards using standard mail protocols the copies of the received messages to the said notification server (100, fig 1, col 2, lines 27-60); wherein said notifications server (100, fig 1, col 2, lines 24-60) is for automatically generating (arrival notification mail, col 2, lines 24-60), therefrom, a subset of said received copy of said electronic mail message (col 5, lines 6-31); and wherein said notifications server (col 2, lines 24-60), upon generation of said subset (subset is interpreted as message, col 5, lines 6-31), is configured to automatically transmit without any user trigger (notification, col 1, lines 5-10; col 2, lines 54-67) said subset (subset is interpreted as message, col 3, lines 33-35) to an identified wireless electronic device (col 5, lines 6-31) associated with a user that is the recipient of said received electronic mail message (cellular phone, col 5, lines 6-39), and wherein the user subsequently is able to select the subset (subset is interpreted as body of the text, col 6, lines 18-33) and thereby download the remainder of the electronic mail message (col 6, lines 17-44).

The "prior art" (or "the system of") of Watanabe teaches notification apparatus (100, fig 1,) generating and notifying arrival of notification mail message to the wireless device (col 2, lines 24-60) and further suggest adding couple of short sentences to the notification message (col 5, lines 22-31, must be using push model technology). Mousseau generating a copy of said electronic mail message (page 7, paragraph #0070; page 8, paragraph #0076), therefrom, a subset of said received copy of said electronic mail message (page 7, paragraph #0070; page 8, paragraph #0076; and

Art Unit: 2454

paragraph #0067); Wherein a push packet is used by said notification server to transmit said subset to said identified wireless electronic device (elements of fig 4, paragraph #.0090, "should have been pushed to the user's mobile data communication device 24.") It would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine the teachings of Watanabe and Mousseau (teaches push technology in wireless architecture). The motivation (prior art of Watanabe at least suggests adding a couple of short sentence so user can determine whether the electronic mail should be read, col 5, lines 22-31, col 6, lines 18-33) would have been developing mail arrival notification system for notifying mobile user device extracted information from the original mail so user of the wireless device can determine whether the electronic mail should be read.

20. In response applicant argued that:

Argument: Watanabe does not teach downloading the remainder of the electronic mail message.

Response: Watanabe disclose the user subsequently is able to select the subset (subset is interpreted as body of the text, col 6, lines 18-33) and thereby download the remainder of the electronic mail message (col 6, lines 55-57, reading the electronic message requires download email from the mail server).

Art Unit: 2454

Conclusion

21. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

U. S. Patent 6,912,398 teaches push method to send notification.

22. Any inquiry concerning this communication or earlier communications from the examiner should be directed to MOHAMMAD A. SIDDIQI whose telephone number is (571)272-3976. The examiner can normally be reached on Monday -Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan J. Flynn can be reached on (571) 272-1915. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Art Unit: 2454

MS

/NATHAN FLYNN/

Supervisory Patent Examiner, Art Unit 2454